Notice No. G. 43—1, dated 7th August 1937.

Sealed tenders are invited for the conveyance of Mails by Bus daily between Chitaldrug P. O.-Molkalmuru P. O. throughout the year on a monthly subsidy for a period of three years commencing from the 1st October 1937. The daily average mileage at present involved is 111 miles and 6 furlongs.

2. No tenders quoting any remuneration deemed suitable or words to that effect will be accepted. Should a tenderer so desire he may offer to carry the mails free or mention the amount which he is prepared to pay the Department per month for the privilege of carrying mails. If the subsidy is quoted, it should be for a complete rupee or rupees and should not contain any fraction of a rupee.

3. A copy of schedule showing the full details of services required and copies of the form of tender (on which tenders must be made) and agreement and any other further information in the matter may be obtained on application from the office of the undersigned on payment of Rs. 5 which will not be refunded in any case. The successful tenderer will have to get the agreement registered at his own cost.

4. All tenders must be addressed to the Postmaster-General, Madras by name clearly marked "Tender for Chitaldrug P. O.-Molkalmuru P. O. Motor Service and confidential" on the outside of the cover and must reach him on or before the *4th September* 1937, by 11 A.M. The tenders will be opened by the P. M. G. Madras on the 6th September 1937 at 12 noon in the presence of such tenderers that will be present.

5. The minimum number of buses that are required is three. Tenderers should clearly state whether they are agreeable to maintain this number as otherwise their tender will not be accepted.

6. Each tender should be accompanied by Rs. 50 which will be refunded if the tender is not accepted.

7. The tenderers should forward with their tenders the letters of evidence from Police and District authorities to the effect that the vehicles mentioned in the tender have been or will be licenced and permitted to run in the particular road or roads mentioned in the tender.

8. P.M.G. Madras does not bind himself to accept the lowest or any tender or to assign any reason for the rejection of the tender.

J. W. C. LINCOLN GORDON,
Superintendent.

GOVERNMENT OF MYSORE, ELECTRICAL DEPARTMENT.

REDUCED TARIFF—AUTOMATIC TELEPHONES.

Rental for Exchange Telephone Line.—

1. (*a*) For an Exchange line (including terminal equipment) within the Municipal Limits of the cities of Bangalore and Mysore ..	Rs. 10 per month.
(*b*) Subscribers requiring special line construction or presenting way-leave difficulties or situated outside Municipal Limits ..	Special rates and special agreements.
(*c*) Temporary Subscribers	Do do
2. A connection fee of Rs. 10 shall be leviable in respect of each telephone installation and shall be payable at the time of signing the Hiring Contract.	
3. Each subscriber will deposit an advance of Rs. 40 equivalent to four months' total rental for the Exchange line and equipment.	

Rental for Extension Telephone Line.—

1. (*a*) For extension lines connecting two separate buildings within the same compound *occupied by the same subscriber* ..	Rs. 5 per month.
(*b*) *Extensions in the same building.* In the case of private branch exchanges where there are two or more exchange lines to one private switch board, the monthly rental for each exchange line shall be Rs. 10 and for additional extension lines Rs. 5. The entire installation and wiring of the private branch exchange will be executed by the Department.	
(*c*) A connection fee of Rs. 10 shall be leviable in respect of each telephone installation and shall be payable when signing the Hiring Contract.	

(*d*) Each subscriber is required to deposit an advance of Rs. 20 equivalent to four months' total rental for the extension line and equipment.

For lines outside Municipal limits special quotations will be given.

For temporary subscribers special rates will be quoted on application.

TRUNK LINE.

There is a Trunk Telephone Line between Bangalore and Mysore Exchanges open to the public. The rates are as follows :—

First three minutes or fraction thereof	8 annas.
Subsequent peirod of three minutes or fraction thereof	8 annas per period.

If the trunk line is busy or the called subscriber is not available, no fee will be charged.

Trunk service is available from Bangalore and Mysore to the various Cities of India connected with the Government of India Telephone Trunk System. For particulars please refer to the pamphlet "Instructions for obtaining a Trunk Connection", which will be supplied on application.

The revised rates will come into force after the new Exchange in Bangalore is opened to the public.

S. G. FORBES,
Chief Electrical Engineer.

Abstract Notification No. G. N. 16, *dated* 31*st July* 1937.

CEILING FANS.

Attention of Electrical Firms is invited to page 1277 of Part VI of the *Mysore Gazette*, dated 5th August 1937, wherein tenders are called for, for the supply of ten Ceiling Fans.

The last date for receipt of tenders is fixed for 24th August 1937, 12 noon.

Abstract Notification dated 5*th August* 1937.

The attention of the public is invited to Notification No. G. N. 17 of 5th August 1937, published on page 1313 of Part VI of the *Mysore Gazette*, dated 12th August 1937.

A. C. MUNIRATNAM,
For *Chief Electrical Engineer.*

OFFICE OF THE SUPERINTENDENT, POWER AND LIGHTING, MYSORE.

Notification dated 19*th August* 1937.

Sealed tenders will be received at the office of the Superintendent, Power and Lighting, Mysore. Tenders should be superscribed with the name of the work given below.

2. The plan may be seen in the office of the undersigned at all working hours.

3. The tenders should be drawn up in conformity with the detailed specification furnished at the same time writing out the rates at which each item of work will be executed, in figures as well as in words, failing which no cognisance will be taken of the tender.

4. The undersigned reserves the right to reject the tenders without assigning any reason therefor.

5. The successful tenderer will be required to deposit with the undersigned an earnest money of rupees one hundred and twenty-five (Rs. 125) and execute an agreement within three days from the date of receipt of information as to the acceptance of tender, failing which the tender will be disposed of otherwise.

6. Materials to be used on the work should be of best quality English or American manufacture and conform to the specification.

7. The teak wood planks to be used for boards and other purposes should be free from cracks and knots and well seasoned. No planks less than 12" in width should be used for board unless it is to make up the difference in the size of boards required. In all such cases lap joints should be adopted.

8. The wiring should be executed strictly in accordance with the wiring rules of this department as well as that of the Institution of Electrical Engineers.

9. No item other than those noted in the statement below should be included in the tender as the items include provision for all sundries, masonry repairs and painting the exterior of the casing to suit the surroundings.

10. The control switches are required to be grouped in inconspicuous corners of the buildings. The successful tenderer should carry out any small deviations in the location of the lighting and other fixtures, etc., not affecting the estimate materially without any extra cost. The undersigned reserves the right to reject the work in full or a portion of it if he finds the work not executed satisfactorily in terms of specification.

11. *Name of Work*:—Installing electric lights and heating appliances, etc., in the new Kitchen Block at Sri Krishnarajendra Hospital, Mysore.

12. *Latest date and time for receiving tenders*:—31st August 1937.

13. *Time and date for opening the tenders in Public*:—4-30 P.M. on 31st August 1937.

14. The time allowed for completion of the work is ten weeks from the date of acceptance of tender, failing which a penalty of One rupee for each day's delay over and above the stipulated time, will be enforced.

15. *Details of Work*:—

PART I.—LIGHTING.

1.	Supplying and laying No. 12 B. and S. twin conductor, paper insulated, lead covered, jute served, double steel tape armoured, underground cable, 1,000 volt pressure, in a trench 3′ deep surrounding the same with 3″ of fine sand enclosing the ends of the cable in pole and indoor type junction boxes filled with insulating compound and portion of the cable running along the pole in 25 feet of 1-½″ galvd. pipe using necessary clamps, No. 12 B. and S. 2,500 Megohms grade insulated wire, etc	Ft.	125
2.	Supplying, fixing and wiring on a suitable teakwood board with battens and rear board, a D.P. iron clad 10 amps. switch with fuses, using No. 12 B. and S. 2,500 Megohms grade insulated wires and accessories	No.	1
3.	Supplying and running mains in ½″ W.I. pipe with accessories using No. 12 B. and S. 2,500 Megohms grade insulated wires	Ft.	5
4.	Supplying, fixing and wiring in No. 14 B. and S. twin and triple conductor, lead covered cable run on suitable teak wood fillets, mounted flush with the wall for ⅝″ braized conduit pendants 1 to 3 ft. long complete with B.C. lamp-holder, stout ceiling plate, 5 amp. S.P. bakelite control switch and accessories	No.	10
5.	Do do shades tin enamelled 10″	„	10
6.	Do do lamp 60 watts., 230 volts, B.C.	„	10
7.	Earthing	L.S.	

PART II.—INSTALLING A CONTROL BOARD, ETC., FOR THE REFRIGERATOR.

1.	Supplying, fixing and wiring on suitable teakwood board with batten and rear board a D.P. linked tumbler switch protected with a pair of 5 amps. fuse cut outs, using No. 12 B. and S. 2,500 Megohms grade insuluted wire and accessories	No.	1
2.	Supplying, fixing and wiring in twin conductor No. 14 B. and S. lead covered cable with accessories run on suitable teakwood fillets, mounted flush with the wall for 5 amp. combined switch with wall plug complete with nipple	„	1
3.	Earthing	L.S.	

PART III.—INSTALLATION OF COOKING AND HEATING APPLIANCES.

1.	Supplying, fixing on the pole and wiring a T.P.S.T. 200 amps. Knife switch on slate base with 200 amps. renewable fuses enclosing the same in a teakwood box of adequate size lined with asbestos, using necessary clamps, No. 3-0 B. and S. insulated wire and accessories	No.	1
2.	Supplying and laying No. 3-0 B. and S. 3-conductor paper insulated, lead covered, double steel tape armoured, jute served, underground cable, 1,000 volts pressure, in a trench 3 ft. deep surrounding the same with 3″ of fine sand, enclosing the ends of the cable in pole and indoor type junction boxes filled with insulating compound and exposed part of the cable along the pole in 25 ft. of 2-½″ galvd. pipe using No. 3-0 B. and S. insulated wire, clamps and accessories	Ft.	125

3.	Supplying and running 3 phase mains in 2" W.I. pipe using No. 3-0 B. and S. insulated wire and accessories	Ft. 5
4.	Supplying, fixing and wiring a teak wood board $2\frac{1}{2}" \times 3\frac{1}{2}" \times 1"$ with battens rear board, supported on a suitable angle iron frame work equipping the board with 11 single pole iron clad 60 amps. cut outs, using No. 3-0 and 4 B. and S. insulated wires and accessories	No. 1
5.	Supplying and laying No. 4 B. and S. 3-conductor, paper insulated, lead covered, double steel tape armoured, jute served underground cable, 1,000 volts pressure, in a trench 3' deep surrounding the same with 3" fine sand and enclosing the ends in indoor type junction boxes filled with insulating compound using $1\frac{1}{2}"$ W.I. pipe No. 4 B. and S. insulated wires and accessories	Ft. 260
6.	Supplying, fixing and wiring in 3-way teakwood casing treated with two coats of Shellac varnish for switch points using D.P. 30 amps. iron clad switch with fuses, $12" \times 12" \times 1"$ teak wood board with back board, battens, No. 6 and 8 B. and S. Megohms grade insulated wires for main and tap respectively	No. 6
7.	Do do for D.P. 20 amps. iron clad switches as per specification above	„ 3
8.	Do do for Instantaneous Water Heaters, 40 amp. with nickle plated bends, back plate, etc., controlled by a 30 amp. D.P. iron clad switch with fuses mounted on a suitable T.W. board, etc., using No. 8 B. and S. 2,500 Megohms grade insulated wire .. .. (Instantaneous Water Heater will be supplied departmentally.)	
9.	Supply of Heater cord No. 10 B. and S. Twin asbestos covered and braided.	Ft. 120
10.	Earthing	L.S.

M. HAYATH,
Superintendent.

MYSORE RAILWAYS.

OFFICE OF THE CHIEF STORE-KEEPER, MYSORE SOUTH.

Notice dated 3rd August 1937.

Tenders are invited for the purchase of one typewriter, Remington No. 12 (Firm's Sl. No. L. D. 37245), automatic ribbon movement, second-hand, in working order with base-board and cover complete. The machine may be inspected at the Railway Central Stores Depot, Mysore South, during working days between 7-30 to 11-30 A.M. and 2 to 4-30 P.M. Tenders in covers sealed and superscribed "Tender for the purchase of typewriting machine," should reach this office before 4 P.M. on 30th August 1937. Offers below Rs. 75 are not likely to receive any consideration.

A. SADASIVAN,
Chief Store-Keeper.

OFFICE OF THE ASSISTANT ENGINEER, HEADQUARTER RANGE, MYSORE.

Notification dated 14th August 1937.

1. Sealed tenders will be received at the Office of the Assistant Engineer, Headquarter Range Mysore, upt o 12 NOON on 27th August 1937, for constructing Seetha-Ranga Out-Patient Dispensary for the New Cheluvamba Maternity Hospital, Mysore.

2. Tenders in the prescribed form obtainable from the Office of the Assistant Engineer, Headquarter Range, Mysore, on payment of rupee one for each form, should be addressed to the Assistant Engineer, Headquarter Range, and should be superscribed as "Tender for constructing Seetha-Ranga Out-Patient Dispensary for the New Cheluvamba Maternity Hospital at Mysore." The name of the tenderer should also be superscribed on the sealed cover.

3. Each tender must be accompanied by a deposit of Rs. 1,000 only in cash or Government Security, Municipal Debentures, Post Office Cash Certificates, (at cash payment value at the time of deposits and not face value) as earnest money. The earnest money of the successful tenderer will be retained as cash security for the due fulfilment of the contract. (Cash amount will not carry any interest.) In case of the acceptance of the tender, an addition of the five per cent of the estimated amount as security deposit should be paid at the time of executing the agreement in the Public Works Department Form.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 27th August 1937, at 4 P.M. The final acceptance of the tender will rest with the Superintending Engineer who does not bind himself to accept the lowest or any tender, or to assign any reasons whatever, for the rejection of any.